

TRAINING MATERIAL

MODULE 1

UNCOVER THE STORY OF REGENERATIVE AGRICULTURE INTRODUCTION TO ITS PRINCIPLES AND GLOBAL RELEVANCE



TITLE

BalkansGrow Training Material - Module 1: “Uncover the Story of Regenerative Agriculture – Introduction to its principles and global relevance”

ERASMUS+ BALKANSGROW PROJECT COORDINATION

Univerza v Mariboru

DOCUMENT EDITING AND COORDINATION

Associació Cultural CRESOL

AUTHORS

Isis Torales (Associació Cultural CRESOL)

José Segarra (Associació Cultural CRESOL)

Imane Ouadi (Associació Cultural CRESOL)

REVISION

Marina Tosheska; Gjorgjija Gagaleski (LAG AGRO LIDER)

Ivan Marković; Milica Jaramaz (CSO, Centre for Vocational Education)

Polona Šprajc (FOV, UM)

Zorana Markovic; Petar Knežević (CRNVO)

Enida Bogdani; Julia Çekrezi (KUTIA)

Erina Disho; Ana Mino (“Mihal Shahini” VET School)

Romina Kaldas (Meraki Projectes)

EDITION DATE

June 2026

FINANCING

European Education and Culture Executive Agency (EACEA), Erasmus+ Programme, European Union.

Project	Green Resilient Organic Wisdom
Acronym	BALKANSGROW
Project n°.	101242707
Key action	ERASMUS-EDU-2025-CB-VET (Capacity building in the field of Vocational Education and Training (VET))
Copyright 	© Partners of the BALKANSGROW Consortium, 2026. This deliverable is open source and contains original unpublished work, except where clearly indicated otherwise. Acknowledgement of previously published material and of the work of others has been made through appropriate citation, quotation, or both. Reproduction is authorized provided the source is acknowledged.
 Co-funded by the European Union	Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Education and Culture Executive Agency (EACEA). Neither the European Union nor EACEA can be held responsible for them.



CONTENT

This training material is part of a six-module manual developed within the BalkansGrow Project. It serves as a practical guide designed to support professionals and educators in teaching sustainable farming. This specific module addresses the following topics:

1. Introduction	3
2. Uncover the Story of Regenerative Agriculture	5
2.1. Key Concepts	5
2.2. Current Situation and Challenges	7
2.3. Best Practices and Methodologies	9
2.4. Case Studies	11
2.4.1. The RegAgri4Europe Initiative (Greece/Balkans Context)	11
2.4.2. Finca Planeses – The Polyfarming System (Girona, Spain)	12
2.4.3. Sustainable Grassland Restoration (Qinghai, China)	13
2.5. Useful Tools and Resources	14
2.6. Practical Activities	16
2.6.1. Mapping Local Climate Change and its Agricultural Impacts	16
2.6.2. Regenerative vs. Conventional: A Systems "Audit"	17
2.6.3. The Three Pillars Challenge: Synergies and Trade-offs	18
3. Conclusion	20
4. Glossary	22
References	24
Annexes	26
1. The Three Pillars of CSA Venn Diagram	26



1. Introduction

This training module provides a robust, evidence-based vision of regenerative agriculture, positioning it as a transformative scientific and practical response to the dual crises of climate change and systemic soil degradation that currently threaten global food security. According to the Asociación de Agricultura Regenerativa Ibérica & CREAM (2026), the modern agrifood model is fundamentally exhausted, exhibiting clear signs of failure through rapidly declining soil fertility, a sharp reduction in biodiversity, and an unsustainable, precarious reliance on costly external chemical inputs. This systemic exhaustion is further evidenced by environmental data from the FAO (2018), which indicates that approximately 33 percent of global land is already moderately to highly degraded due to erosion, salinization, compaction, and chemical pollution. Consequently, this material introduces a necessary paradigm shift that moves beyond viewing soil as a mere inert substrate and instead treats it as a complex living ecosystem—often referred to as the soil food web—which is fundamental to agricultural productivity, nutritional density, and the long-term health of rural territories (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026).

Through this comprehensive course, trainers will gain the technical skills to identify and implement the ten consensus criteria that define truly regenerative practices, ranging from advanced water management and permanent soil cover to the active protection of biodiversity and the integration of directed grazing (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). Mastering these criteria allows educators to teach farmers how to differentiate restorative systems from extractive conventional models based on the efficient management of carbon cycles and nutrient flows. Such knowledge is of critical global importance because, as reported by the FAO (2018), the world is facing an unprecedented confluence of pressures, including a population projected to reach 9.3 billion by 2050, which requires agricultural systems to be managed with significantly higher efficiency to satisfy a 50 percent increase in food demand compared to 2013 levels. According to Gràcia et al. (2021), the regenerative model offers a way to meet this demand while simultaneously reducing the carbon footprint of the sector, as these practices can sequester atmospheric CO₂ and store it securely in the soil, effectively turning agricultural lands into carbon sinks.



Conceptually, regenerative agriculture is seamlessly integrated into the broader framework of Climate-Smart Agriculture (CSA), an approach defined by FAO (2010) that seeks to achieve three interlinked goals: sustainably increasing agricultural productivity and incomes, enhancing resilience through the adaptation of systems to climate shocks, and reducing or removing greenhouse gas emissions. For the Balkan region specifically, this transition is not merely an option but a strategic necessity to increase the resilience of family-run farms against the region's increasingly frequent droughts and erratic weather patterns. By adopting regenerative techniques, Balkan farmers can transform their degraded landscapes into "sponge" systems. As noted by Gràcia et al. (2021), a soil rich in organic matter and humus can absorb up to 150 liters of water per square meter in a single hour, significantly improving natural water infiltration and retention during heavy downpours while ensuring moisture is available for crops during dry spells. Strengthening these local skills also supports food sovereignty by reducing the dependence of rural communities on global industrial lobbies and external input markets (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026).

Therefore, the Module 1 establishes the conceptual and theoretical bedrock for the entire BalkansGrow training series, providing the foundational principles of minimum soil disturbance and functional biodiversity that will be applied in subsequent units focused on the practical management of soil health, water cycles, livestock integration, and the strengthening of territorial socio-economic bonds.



2. Uncover the Story of Regenerative Agriculture

2.1. Key Concepts

Regenerative agriculture is fundamentally defined as a comprehensive set of techniques and processes designed to restore and enhance soil life as the primary foundation for recovering the fertility, biodiversity, and resilience of agroecosystems (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). According to the Asociación de Agricultura Regenerativa Ibérica & CREAM (2026), this approach integrates ancestral knowledge with modern science and appropriate technologies to improve the health and economy of rural territories from a holistic perspective. Unlike conventional agricultural models that treat soil as a mere inert substrate or physical support for plants, the theoretical foundation of regenerative agriculture views the soil as a living ecosystem—often described as the "soil food web"—upon which all agricultural productivity, nutritional quality, and environmental health depend (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026; Gràcia et al., 2021). By focusing on nurturing this complex biological web, which includes everything from microscopic bacteria and fungi to earthworms and insects, farmers can transition from extractive management toward restorative systems that actively revert degradation processes and increase soil organic carbon (Gràcia et al., 2021).

A central concept within this restorative framework is the seamless integration of regenerative practices into the broader Climate-Smart Agriculture (CSA) approach. As defined by FAO (2013), CSA is an approach to guide the management of agriculture and food systems under the pressures of climate change, organized around three interlinked pillars: sustainably increasing agricultural productivity and incomes, adapting and building resilience to climate change, and reducing or removing greenhouse gas emissions where possible. Regenerative agriculture serves as a practical, technical methodology to achieve these CSA objectives by emphasizing resource-use efficiency and the restoration of natural ecosystem services that have been eroded by industrial practices (FAO, 2018; Gràcia et al., 2021). In this context, resilience is understood as the capacity of a system, community, or individual to anticipate, absorb, or recover from shocks and stressors—such as extreme weather events—in a timely and efficient manner (FAO, 2016). Resilience adds a vital time dimension to the concept of vulnerability, ensuring



that a system can transform itself in the long term to survive and even flourish despite changing environmental conditions (FAO, 2016; FAO, 2018).

The key principles that underpin the regenerative story are codified into ten consensus criteria that provide a rigorous framework for practitioners and educators to distinguish truly restorative practices from conventional ones (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). These criteria include contextuality, which requires that management practices be adapted to the specific territorial, environmental, and social environment of each farm (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). Another essential criterion is water management, which focuses on transforming landscapes into "sponge systems" that maximize natural infiltration and retention (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). According to Gràcia et al. (2021), a soil rich in organic matter and humus can absorb up to 150 liters of water per square meter in a single hour, significantly mitigating the impacts of both droughts and floods. Furthermore, the model prioritizes the active protection of biodiversity, encompassing both wild and domestic species, and advocates for the elimination of tilling through no-tillage practices to preserve the delicate structure and microbiology of the soil (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026).

Further essential principles include maintaining permanent soil cover with living vegetation or mulch to prevent erosion and regulate soil temperature, as well as the implementation of directed grazing (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). Directed grazing involves using high animal loads in small areas for short periods, followed by long rest periods, which allows livestock to act as a tool for boosting natural soil fertility through their manure and physiological interaction with plants (Gràcia et al., 2021; Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). Moreover, the model advocates for a drastic reduction in, and the eventual elimination of, external synthetic chemical inputs—such as pesticides and fertilizers—prioritizing instead organic and natural alternatives like compost, biochar, and biofertilizers to restore the soil's biological functionality (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026).

Finally, the theoretical foundation of these systems is rooted in circularity and synergy, specifically through integrated models like the Polyfarming system (Gràcia



et al., 2021). This involves the integration of crops, livestock, and forestry to reproduce natural patterns and processes where the outputs of one element become the inputs for another, thereby closing nutrient cycles (Gràcia et al., 2021). By fostering collaboration rather than competition between different plant species and ensuring the return of all organic materials to the soil, these systems create a self-sustaining cycle that increases the global productivity of the land (Gràcia et al., 2021). This paradigm shift not only addresses environmental and climate crises but also focuses on food sovereignty, empowering local communities to control their own food systems, reduce dependence on global industrial lobbies, and reclaim the economic viability of small-scale family farms (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026; Gràcia et al., 2021).

2.2. Current Situation and Challenges

The global agrifood system is currently navigating an unprecedented confluence of pressures that threaten its long-term capacity to ensure food security for a population projected to reach 9.3 billion by 2050 (FAO, 2014). According to the FAO (2018), this population growth, coupled with rapid urbanization and shifting dietary patterns, means that world food production must increase by approximately 50 percent compared to 2013 levels to satisfy rising demand. This requirement for intensified production coincides with a period of systemic exhaustion of the conventional agricultural model. As noted by the Asociación de Agricultura Regenerativa Ibérica & CREAM (2026), the loss of soil fertility, sharp reductions in biodiversity, and a heavy reliance on external chemical inputs indicate that conventional systems are no longer sustainable or resilient in the long term. Environmental data further underscores this crisis, with approximately 33 percent of global land already classified as moderately to highly degraded due to factors such as erosion, salinization, and chemical pollution (FAO, 2014). This degradation is a direct consequence of the 20th-century paradigm shift that focused on maximizing productivity through genetics and chemistry while largely ignoring the efficiency of resources other than land (FAO, 2014).

Furthermore, climate change acts as an existential threat to rural livelihoods, as rising temperatures and the increased frequency of extreme weather events—including



prolonged droughts, heatwaves, and sudden flooding—directly impair the productivity of crops, livestock, and fisheries (FAO, 2018). According to Zilberman et al. (2018), the increased frequency and intensity of these extreme events is a game-changer that makes the agricultural sector increasingly vulnerable at a rapid and steep scale. Without the widespread adoption of adaptive practices, projected yields for vital staples in regions like the Balkans and beyond are at significant risk, with some estimates suggesting that maize yields could decrease by up to 45 percent and wheat by 50 percent (FAO, 2018). Farmers and rural communities also encounter formidable economic and institutional barriers that impede the transition to restorative systems. Economically, many producers are trapped in a cycle of high dependence on expensive synthetic fertilizers and pesticides, which erodes the profitability of small-scale holdings (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). Transitioning to regenerative agriculture often involves substantial up-front investment costs—such as those required for building terraces or purchasing specialist conservation equipment—and a potential short-term dip in output while soil health is restored, posing a significant risk for vulnerable households with limited capital (FAO, 2018; Gràcia et al., 2021). As explained by Gràcia et al. (2021), this transition period is a time when external production factors are eliminated before internal biological processes have fully taken over, requiring an investment in money, time, and knowledge. Socially, issues such as insecure land tenure often discourage farmers from making these long-term investments, as those without legal titles are hesitant to invest material or labor in the short term for rewards that may only materialize years later (FAO, 2018; Caron et al., 2018).

Educators and extension services also face critical constraints, often suffering from low technical capacity and limited resources to effectively promote complex, site-specific regenerative practices. According to the FAO (2018), many extension agents require better access to integrated climate and agricultural science to support producers in adjusting to these new conditions. Traditional extension systems have historically relied on technical staff specialized in single branches of science, such as agronomy or plant pathology, without necessarily having a comprehensive understanding of a farming systems approach (FAO, 2014). Furthermore, a frequent lack of coordinated policies across the agriculture, water, and climate sectors results in a fragmented approach that often prioritizes short-term productivity over long-term



landscape resilience (FAO, 2018). According to RegAgri4Europe (2022), it is imperative to upgrade the agricultural sector with new skills and educational platforms that recognize ecological heterogeneity and empower farmers to develop their own agro-ecosystem management approaches. Consequently, overcoming these challenges requires not only technological innovation but also a profound transformation in governance, education, and financial support systems to empower local communities and ensure food sovereignty (Asociación de Agricultura Regenerativa Ibérica & CREA, 2026; Gràcia et al., 2021).

2.3. Best Practices and Methodologies

The implementation of best practices in regenerative agriculture is not a matter of applying isolated techniques but rather adopting a holistic and systems-based management approach that seeks to replicate and enhance natural ecological processes (Asociación de Agricultura Regenerativa Ibérica & CREA, 2026; Gràcia et al., 2021). The foundational methodology begins with minimum soil disturbance, primarily through no-till or zero-tillage systems. According to the FAO (2018), this involves exposing the soil only where the seeds are placed, thereby preserving the soil's physical structure and the delicate biological web of microorganisms that facilitate nutrient cycling. To be effective, this must be paired with the methodology of permanent soil cover, where the ground is kept covered throughout the year with living crops, cover crops, or organic mulch such as shredded branches (BRF) or crop residues (Asociación de Agricultura Regenerativa Ibérica & CREA, 2026; Gràcia et al., 2021). These combined practices are particularly critical for the Balkan context, where mountainous terrains are prone to severe erosion during heavy rains and soils risk losing vital moisture during increasingly frequent summer heatwaves (FAO, 2018; RegAgri4Europe, 2022).

A second essential methodology is the diversification of species both in time and space. In terms of temporal diversification, the step-by-step procedure involves planning complex crop rotations that always include legumes, such as clover or vetch, which fix atmospheric nitrogen into the soil and can reduce the farmer's dependence on synthetic chemical fertilizers (FAO, 2014; Asociación de Agricultura Regenerativa Ibérica & CREA, 2026). Spatial diversification is achieved through



intercropping—growing two or more crops together—and agroforestry, which integrates trees and shrubs into the agricultural landscape. As noted by Gràcia et al. (2021), the integration of trees provides vital services such as soil stabilization, microclimate regulation, and the provision of shade for livestock, which is an adaptable strategy for the small-scale, multi-functional farms typical of the Balkan region.

The methodology of directed and planned grazing represents a cornerstone of regenerative livestock management. Unlike free-grazing systems where animals selectively overgraze specific plants and compact the soil, this procedure requires dividing the land into permanent parcels and using high animal densities for very short durations—often just one or two days—followed by long rest periods of 60 to 80 days to allow for plant recovery and root development (Gràcia et al., 2021; Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). This step-by-step management ensures that the cattle, sheep, or goats act as a biological tool to boost soil fertility through their manure and physiological interaction with the grass, effectively turning the pasture into a carbon-sequestering "sponge" (Gràcia et al., 2021). For educators in the Balkans, this practice can be adapted by using solar-powered portable fences to fine-tune grazing pressure even on remote mountain slopes, improving productivity while reducing the cost of purchased feed (FAO, 2018; RegAgri4Europe, 2022).

Furthermore, advanced water management techniques such as Keyline design are fundamental for building regional resilience. The methodology involves analyzing the topography of the farm to identify "key lines" and implementing water-harvesting structures like terraces or infiltration ditches that slow down runoff and encourage water to permeate into the soil (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026). According to Gràcia et al. (2021), a soil rich in organic matter resulting from these practices can store vast quantities of water, providing a natural buffer against the erratic rainfall patterns characteristic of the Mediterranean and Balkan climates. Finally, the Polyfarming methodology encourages a circular economy at the farm level, where the forest provides resources like biochar and wood chips to nourish garden beds, while poultry is introduced into orchards to provide pest control and natural fertilization (Gràcia et al., 2021). By following these integrated procedures, trainers can empower local communities to transition toward a



model that ensures food sovereignty, reduces external input costs, and restores the biological health of the landscape (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026; RegAgri4Europe, 2022).

2.4. Case Studies

This section presents three case studies illustrating the application of regenerative and climate-smart principles across the Balkans, Europe, and the global stage.

2.4.1. The RegAgri4Europe Initiative (Greece/Balkans Context)¹

- **Background**

The RegAgri4Europe project, co-funded by the Erasmus+ Programme, focuses on upgrading the agricultural sector in the Balkan region (specifically Greece) and other European countries with skills in regenerative agriculture. It involves a consortium of partners, including the Agricultural University of Patras and Skybridge Partners in Greece, aiming to provide educational tools for farmers and stakeholders.

- **Problem Identified**

Farmers in Greece and the broader Balkan region face severe challenges including soil erosion, loss of biodiversity, and the increasing impacts of climate change such as prolonged droughts. Additionally, there is a significant lack of technical background knowledge and specialized vocational training in restorative practices.

- **Solution Implemented**

The project developed a comprehensive Virtual Learning Platform and a curriculum of six lectures covering soil health, permaculture principles, and practical regenerative production. It advocates for policy changes that recognize ecological heterogeneity and empower farmers to develop their own site-specific management approaches.

- **Outcomes**

¹ The details presented in this case study originate from RegAgri4Europe (2022).



The initiative successfully created a multinational approach to preserving natural resources through technology and education. It provides a framework for farmers to upgrade their skills and implement practices that secure both biodiversity and climate resilience.

- **Lessons Learned**

Investment in sustainable rural education is essential for the transition. Recommendations must be technically viable from the farmer's perspective and supported by financial and scientific institutions to overcome the barriers of initial investment costs.

2.4.2. Finca Planeses – The Polyfarming System (Girona, Spain)²

- **Background**

The Planeses farm, located in Girona, Spain, serves as the pilot site for the Polyfarming project, a restorative initiative co-funded by the European Commission's LIFE program. This farm operates within a Mediterranean mountain environment, which shares significant topographical and climatic similarities with the Balkan region, particularly regarding mountainous slopes and the threat of erratic rainfall patterns. The system is designed as an integrated agro-silvo-pastoral model where the forest, livestock, and crops are managed as a single, circular ecosystem.

- **Problem Identified**

The farm faced the dual challenge of rural abandonment and systemic environmental degradation. As noted by Gràcia et al. (2021) and Asociación de Agricultura Regenerativa Ibérica & CREAF (2026), conventional models in these regions often lead to soil compaction, loss of biodiversity, and a high dependency on expensive external inputs. Furthermore, the land had lost its natural capacity to manage water, making it highly vulnerable to the flash floods and summer droughts characterized by the current climate crisis.

- **Solution Implemented**

² This case study draws on information reported by Gràcia et al. (2021).



The solution involved implementing a set of regenerative techniques that prioritize the soil food web. This included the total elimination of tillage in the garden area and the use of forest resources to regenerate agricultural soil. Specifically, the farm utilized Bois Rameaux Fragmentés (BRF)—fragmented wood chips from local forest thinning—to create a permanent organic mulch that feeds soil fungi and builds stable humus. This was complemented by directed grazing, where livestock (cows and chickens) were used as "biological tools" to fertilize the soil and manage cover crops without mechanical intervention.

- **Outcomes**

The results at Planeses demonstrate the rapid restorative power of these interconnections. In just three years (2017–2020), the areas under regenerative management practically doubled their Soil Organic Matter (SOM) compared to conventional plots. This transformation turned the farm into a significant carbon sink and created a "sponge system" capable of absorbing and retaining massive quantities of water, thereby increasing the resilience of the crops to seasonal heatwaves.

- **Lessons Learned**

The primary lesson from Planeses is that the circular economy at the farm scale is economically and ecologically viable. According to Gràcia et al. (2021), success depends on understanding the biological balance between mineralization and humification. Furthermore, the project proved that regenerative models are scalable and can be adapted to any territory by utilizing local resources, such as forest residues, to bridge the "transition dip" in productivity.

2.4.3. Sustainable Grassland Restoration (Qinghai, China)³

- **Background**

The Three Rivers Sustainable Grazing Project in the Qinghai province of China is an FAO-supported pilot focused on yak and sheep herding communities. It addresses the restoration of fragile high-altitude ecosystems.

- **Problem Identified**

³ Information regarding this case study is provided by FAO (2014b).



Approximately 38 percent of the project area's grasslands were heavily degraded due to overstocking and mismanagement, leading to reduced carbon storage, loss of biodiversity, and diminished livelihoods for smallholder herders.

- **Solution Implemented**

The project introduced sustainable grassland management (SGM) options, including reducing grazing pressure, sowing improved pastures, and implementing better animal husbandry techniques. The focus was on simple, cost-effective measures to restore soil moisture and nutrient retention.

- **Outcomes**

This initiative demonstrated an annual mitigation potential of 63,000 tonnes of CO₂ equivalent. Beyond climate mitigation, it significantly enhanced the productive potential of the grazing lands and improved herder incomes through better feeding and housing for livestock.

- **Lessons Learned**

The project's success was linked to its ability to deliver tangible economic returns, which ensured voluntary enrolment by the community. Grassland restoration is a key "no-regret" strategy for building climate resilience while sequestering soil carbon.

2.5. Useful Tools and Resources

The transition to regenerative and climate-smart systems is supported by a diverse array of technological innovations, digital platforms, and comprehensive technical guides designed to facilitate evidence-based decision-making. At the forefront of technology, satellite-derived microwave signals and the Normalized Difference Vegetative Index (NDVI) provide superior, near real-time monitoring of crop conditions and yield predictions by penetrating cloud cover that often obstructs visible signals (Basist et al., 2018). Remote sensing is also highlighted as a vital tool for landscape-level management and for fine-tuning grazing pressure through the implementation of low-cost, solar-powered electrical fences (FAO, 2018). Furthermore, precision farming and mobile technologies integrated with advanced data management platforms like AgBiz Logic allow producers to evaluate farm-scale



economic and environmental tradeoffs—including carbon sequestration and greenhouse gas (GHG) emissions—under various future climate scenarios (Capalbo et al., 2018). Complementary simulation tools such as the Tradeoff Analysis Model (TOA-MD), APSIM, and the Integrated Analysis Tool (IAT) provide essential ex-ante evaluations of regenerative practices, helping to manage risks and prioritize resource allocation in uncertain environments (Antle et al., 2018; Thornton et al., 2018).

A variety of guides and manuals provide the pedagogical and technical foundation for this transformation. Key resources include the FAO Climate-Smart Agriculture Sourcebook, which offers principles for defining restorative practices across the cropping, livestock, fishery, and forestry sectors (FAO, 2013). The Climate-Smart Agriculture Training Manual serves as a vital reference specifically for agricultural extension agents, providing structured modules to bridge the gap between climate science and field implementation (FAO, 2018). For those focusing on integrated agro-silvo-pastoral systems, the Polyfarming Manual provides a comprehensive roadmap for designing circular, regenerative models based on real-world pilot experiences (Gràcia et al., 2021). Additionally, technical standards such as the *Criterios que definen la agricultura regenerativa* offer a rigorous technical framework for identifying truly restorative management practices (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026).

Specialized platforms and supporting materials further enhance knowledge transfer and regional coordination. The RegAgri4Europe Virtual Learning Platform offers a multinational curriculum consisting of specialized lectures, video lessons, and virtual libraries designed to upgrade technical skills specifically within the Mediterranean and Balkan contexts (RegAgri4Europe, 2022). These platforms are complemented by Information and Communication Technologies (ICTs), such as mobile phone-based advisory services and the internet, which empower farmers with real-time weather forecasts, market prices, and production tips, ultimately fostering a multi-directional flow of knowledge (FAO, 2018; Zilberman et al., 2018).



2.6. Practical Activities

This section provides three practical activities designed to translate the theoretical principles of regenerative agriculture and climate-smart agriculture (CSA) into actionable learning experiences for trainers and farmers.

2.6.1. Mapping Local Climate Change and its Agricultural Impacts

- **Objective**

To enable participants to analyze historical climate data in their specific region and articulate the direct consequences of these long-term trends for local agricultural productivity, soil health, and community livelihoods.

- **Required Materials**

Flipcharts, colored markers, and printed historical datasets or graphs showing local temperature and rainfall averages across multiple 30-year timeframes—specifically comparing early 20th-century data (e.g., 1901–1930) with contemporary records (e.g., 1991–2012).

- **Step-by-step instructions with time**

1. **Introduction (10 min):** The facilitator provides a brief overview of how to interpret climate graphs, emphasizing the critical scientific distinction between short-term weather variability and consistent, long-term climate trends.
2. **Comparative Data Analysis (40 min):** Participants are divided into small groups to analyze the datasets. They must answer targeted questions: When are the wettest months now compared to the past? Has the predictable onset of the rainy season shifted? Are there more frequent extreme heat periods or sudden heavy downpours?.
3. **Impact Reflection (20 min):** Groups discuss how these identified shifts directly affect regional planting dates, the risk of soil erosion during erratic storms, and the emergence of new pests or heat stress in livestock.
4. **Plenary Presentation (20 min):** Each group presents their findings to the larger group. The facilitator maps these responses on a collective diagram to



highlight common regional vulnerabilities and the urgent need for adaptive regenerative management.

- **Evaluation Criteria**

Participants must demonstrate the ability to identify at least two significant climatic shifts in their specific Balkan sub-region and provide a logical explanation of the corresponding risks these shifts pose to local food security and soil stability.

2.6.2. Regenerative vs. Conventional: A Systems "Audit"

- **Objective**

To guide trainers through the process of evaluating existing regional farming systems against the ten consensus criteria of regenerative agriculture, facilitating a technical distinction between extractive conventional management and restorative systems.

- **Required Materials**

Handouts listing the "Ten Consensus Criteria for Regenerative Agriculture" (Asociación de Agricultura Regenerativa Ibérica & CREAM, 2026), flipcharts, sticky notes, and markers.

- **Step-by-Step Instructions with Time**

- 1. System Characterization (15 min):** The facilitator assigns each group a common regional farming system (e.g., intensive maize production or semi-extensive sheep grazing) and provides the list of regenerative criteria as the evaluative framework.
- 2. The Regenerative Audit (45 min):** Working in groups, participants "audit" the assigned system against the criteria. They identify where it fails (e.g., heavy tillage, reliance on synthetic fertilizers) and where it may already align with restorative principles, such as maintaining traditional field boundaries.
- 3. Transition Strategy Design (30 min):** Groups propose three specific, context-adapted changes to move the farm toward "regenerative" status, such as implementing no-till practices, establishing permanent soil cover, or integrating directed grazing.



- 4. Comparative Synthesis (20 min):** Groups present their "before and after" models, discussing the expected improvements in soil organic matter and water retention alongside the potential social and economic barriers to transition.

- **Evaluation Criteria**

Successful identification of practices that conflict with the consensus criteria and the proposal of at least three viable, restorative alternatives that are adapted to the specific biophysical and social context of the farm.

2.6.3. The Three Pillars Challenge: Synergies and Trade-offs

- **Objective**

To explore the complex synergies and unavoidable trade-offs inherent in balancing the three pillars of climate-smart and regenerative agriculture: productivity, adaptation, and mitigation.

- **Required Materials**

Large posters with a "Three-Circle Venn Diagram" template representing the pillars (Annex 1), sticky notes with various agricultural practices (e.g., "applying biochar", "rotational grazing", "using crop residues for mulch"), and pens. The diagram will be a visual tool used to analyze agricultural practices based on the three fundamental pillars of Climate-Smart Agriculture (CSA):

- (I) Sustainable Productivity and Income: This circle focuses on practices that increase yields and ensure food security and economic viability for the farm;
- (II) Adaptation and Resilience: This circle includes strategies that reduce the vulnerability of the farming system to climate shocks—such as droughts or floods—enhancing its capacity to recover and transform in the long term; and,
- (III) Mitigation (GHG Reduction): This circle addresses actions that reduce or remove greenhouse gas emissions, such as sequestering carbon in the soil through regenerative techniques.



- **Step-by-Step Instructions with Time**

1. **Pillar Briefing (15 min):** The facilitator defines the objectives: sustainably increasing productivity/income, building resilience through adaptation, and sequestering carbon/reducing emissions (mitigation).
2. **Practice Sorting (35 min):** Groups receive a set of practice cards. They must debate and place each card into the circle(s) it supports. For example, they must decide if a practice like "legume intercropping" qualifies as a "triple-win".
3. **Trade-off Debate (30 min):** The facilitator prompts a discussion on "difficult" placements. Groups must analyze scenarios where one pillar might be sacrificed for another, such as using crop residues for livestock feed (productivity) versus leaving them as soil cover (mitigation/adaptation).
4. **Triple-Win Presentation (20 min):** Groups present one prioritized strategy for a local system that maximizes synergies between the three pillars while explaining how they would manage the identified trade-offs.

- **Evaluation Criteria**

Ability to articulate at least one significant trade-off in regional agricultural decisions and propose a management strategy that logically maximizes benefits across the three pillars.



3. Conclusion

The fundamental lesson of this module is the necessary transition from a conventional extractive model to a restorative paradigm where soil is treated as a living ecosystem rather than a mere inert substrate. Learners have uncovered that regenerative agriculture is built upon a scientific foundation designed to restore soil life, thereby recovering the fertility, biodiversity, and resilience of agroecosystems. Central to this story is the integration of these practices into the Climate-Smart Agriculture (CSA) framework, which pursues three interlinked pillars: sustainably increasing productivity, enhancing adaptation and resilience, and reducing greenhouse gas emissions through carbon sequestration. This module has detailed the ten consensus criteria for regeneration, emphasizing that success relies on a holistic approach that integrates crops, livestock, and forestry to replicate natural cycles and foster synergy rather than competition.

Also, the practical relevance of these concepts is underscored by the urgent global need to feed a future population estimated of 9.3 billion by 2050 using a natural resource base that is currently 33 percent degraded. For farmers, the regenerative model offers a tangible path to economic sovereignty by drastically reducing dependence on expensive synthetic inputs and heavy machinery. In terms of climate resilience, the creation of "sponge systems" is a critical outcome; a soil rich in humus and organic matter can absorb up to 150 liters of water per square meter in a single hour, providing a natural buffer against the erratic rainfall, droughts, and floods that increasingly threaten the Balkan region. Furthermore, the move toward diversification (crop, livestock, and income) acts as a "no-regret" strategy that stabilizes farm returns even under uncertain climatic conditions.

Learners can apply this knowledge by initiating a phased transition on their farms or within their educational programs, moving from "in transition" to "regenerative" status through a process of continuous learning and observation. Educators are encouraged to use decision-support tools and digital monitoring (such as NDVI and ICT-based advisories) to help farmers quantify trade-offs and identify site-specific management options. In practice, this begins with the application of the five basic elements of a regenerative system: increasing plant diversity, ensuring the return of organic matter to the soil, eliminating tillage, optimizing carbon cycles, and



implementing directed grazing. Finally, this knowledge enables practitioners to participate in the "movement of regeneration" by fostering local food sovereignty, establishing direct links with consumers, and collaborating with regional research networks to internationalize sustainable results.



4. Glossary

- **Adaptation:** The adjustment in natural or human systems in response to actual or expected climatic stimuli or their effects, aimed at minimizing harm or exploiting beneficial opportunities.
- **Adaptive Capacity:** The ability of a system (such as a farm or community) to absorb shocks, manage risks, and respond or transform in the face of changing climatic conditions.
- **Agroforestry:** A collective name for land-use systems and technologies where woody perennials (trees, shrubs) are deliberately used on the same land-management units as agricultural crops and/or animals.
- **Biochar:** A type of charcoal produced through pyrolysis (heating organic matter in the absence of oxygen) that, when added to soil, improves water and nutrient retention and facilitates long-term carbon sequestration.
- **Carbon Sequestration:** The process of removing carbon dioxide from the atmosphere and storing it in long-term reservoirs or "pools", such as soil organic matter, roots, and woody vegetation.
- **Climate:** The set of weather conditions, including long-term averages of temperature and precipitation, prevailing in a specific area over a long period, typically three consecutive decades.
- **Climate-Smart Agriculture (CSA):** An approach developed by the FAO to transform and re-orient agricultural systems to support food security under the new realities of climate change, focused on three pillars: productivity, adaptation, and mitigation.
- **Food Security:** A state that exists when all people, at all times, have physical and economic access to sufficient, safe, and nutritious food that meets their dietary needs and preferences.
- **Humification:** The process by which organic matter is decomposed slowly to form stable humus, which improves soil structure, protects against erosion, and enhances water infiltration.
- **Intercropping:** The practice of growing two or more crops simultaneously in the same field, often to increase biodiversity, manage pests, and distribute environmental risks.



- **Mitigation:** Human interventions designed to reduce the sources of greenhouse gases or enhance the "sinks" that remove these gases from the atmosphere.
- **No-Tillage (Zero-Tillage):** A method of planting crops that avoids disturbing the soil through plowing, thereby preserving soil structure, protecting microbiology, and reducing carbon losses.
- **Polyfarming:** A regenerative agro-silvo-pastoral system that integrates forest resources, livestock, and crops to reproduce natural patterns, foster synergies, and close nutrient cycles.
- **Regenerative Agriculture:** A set of techniques and processes designed to restore and enhance soil life as the foundation for recovering fertility, biodiversity, and resilience in agroecosystems.
- **Resilience:** The capacity of a system, community, or household to prevent, mitigate, or cope with risks and recover from shocks (such as droughts or floods) in a timely and efficient manner.
- **Sink:** Any process, activity, or mechanism (such as a forest or healthy soil) that removes a greenhouse gas from the atmosphere.
- **Soil Food Web:** The complex community of organisms living all or part of their lives in the soil—including bacteria, fungi, protozoa, and earthworms—which drives nutrient cycling and supports plant health.
- **Source:** Any process or mechanism that releases a greenhouse gas (such as methane from livestock or CO₂ from burning residues) into the atmosphere.
- **"Sponge" System:** A management approach that focuses on increasing soil organic matter and improving structure to transform the land into a system capable of massive water infiltration and retention.
- **Vulnerability:** The propensity or predisposition of a system to be adversely affected by climate change, determined by its exposure and sensitivity to shocks versus its adaptive capacity



References

- Antle, J. M., Homann-KeeTui, S., Descheemaeker, K., Masikati, P., & Valdivia, R. O. (2018). Using AgMIP regional integrated assessment methods to evaluate vulnerability, resilience and adaptive capacity for climate smart agricultural systems. In L. Lipper, N. McCarthy, D. Zilberman, S. Asfaw, & G. Branca (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 307–333). Springer.
- Asociación de Agricultura Regenerativa Ibérica & CREAM. (2026). *Criterios que definen la agricultura regenerativa, consensuados por el colectivo practicante y científico ibérico*. CREAM.
- Basist, A., Dinar, A., Blankespoor, B., Bachiochi, D., & Houba, H. (2018). Use of satellite information on wetness and temperature for crop yield prediction and river resource planning. In L. Lipper et al. (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 77–104). Springer.
- Capalbo, S. M., Seavert, C., Antle, J. M., Way, J., & Houston, L. (2018). Understanding tradeoffs in the context of farm-scale impacts: An application of decision-support tools for assessing climate smart agriculture. In L. Lipper et al. (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 173–197). Springer.
- Caron, P. et al. (2018). Devising effective strategies and policies for CSA: Insights from a panel of global thinkers. In L. Lipper, N. McCarthy, D. Zilberman, S. Asfaw, & G. Branca (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 599–620). Springer.
- FAO. (2010). *“Climate-Smart” Agriculture: Policies, practices and financing for food security, adaptation and mitigation*. Rome.
- FAO. (2013). *Climate-smart agriculture sourcebook*. Rome.
- FAO. (2014). *Building a common vision for sustainable food and agriculture: Principles and approaches*. Rome.
- FAO. (2014b). *FAO success stories on climate-smart agriculture*. Rome.



FAO. (2016). *Managing climate risk using climate-smart agriculture*. Rome.

FAO. (2018). *Climate-smart agriculture training manual: A reference manual for agricultural extension agents*. Rome.

Gràcia, M., Broncano, M. J., & Retana, J. (2021). *Manual para el diseño e implementación de un modelo agroalimentario regenerativo: el sistema Polyfarming*. CREA.

RegAgri4Europe. (2022). *Policy Recommendations: Upgrading the agricultural sector with skills in regenerative agriculture*.

Thornton, P. K., Rosenstock, T., Förch, W., Lamanna, C., Bell, P., Henderson, B., & Herrero, M. (2018). A qualitative evaluation of CSA options in mixed crop-livestock systems in developing countries. In L. Lipper, N. McCarthy, D. Zilberman, S. Asfaw, & G. Branca (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 385–423). Springer.

Zilberman, D., Lipper, L., McCarthy, N., & Gordon, B. (2018). Innovation in response to climate change. In L. Lipper et al. (Eds.), *Climate Smart Agriculture: Building Resilience to Climate Change* (pp. 49–76). Springer.



Annexes

1. The Three Pillars of CSA Venn Diagram

This annex presents the image for the three-circle Venn Diagram (figure 1), a fundamental visual tool for executing the Practical Activity 2.6.3: *The Three Pillars Challenge: Synergies and Trade-offs*. The diagram is designed to help educators and participants map how various agricultural techniques align with the objectives of Climate-Smart Agriculture (CSA).

The diagram consists of three main areas representing the interlinked pillars of CSA:

- 1. Sustainable Productivity and Income:** Focuses on practices that ensure food security and the economic viability of the farm.
- 2. Adaptation and Resilience:** Strategies that reduce the system's vulnerability to climate shocks—such as droughts and floods—while increasing its long-term recovery capacity.
- 3. Mitigation (GHG Reduction):** Actions aimed at reducing or removing greenhouse gas emissions, such as sequestering carbon in the soil through regenerative practices.




Figure 1. Three-Circle Venn Diagram of CSA Pillars. Author-created diagram illustrating the three Climate-Smart Agriculture pillars and their synergies.



Use in the Activity: During activity 2.6.3, this diagram serves as the basis for identifying synergies (overlapping areas between two circles) and the "Triple-Win Zone" at the center. Practices such as agroforestry and no-till should be positioned in the center, as they successfully address all three objectives simultaneously. Using this visual material is essential for facilitating critical discussions on trade-offs, allowing learners to analyze scenarios where one pillar might be favored over another and to seek balanced management solutions for their local context.



**BALKANS
GROW**

green resilient organic wisdom



**Co-funded by
the European Union**

THE BALKANS GROW PROJECT CONSORTIUM



Univerza v Mariboru

Fakulteta za organizacijske vede

ME -
- RA
- KI




Shkolla e Mesme
Profesionale
Mihal Shahini



JU CENTAR ZA STRUČNO
OBRAZOVANJE



CRNVO
CENTAR ZA RAZVOJ NVO



Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or the European Education and Culture Executive Agency (EACEA). Neither the European Union nor EACEA can be held responsible for them.